

SSNAP Clinical Executive Summaries – Thames Valley

An overview of hospital stroke care quality up to November 2016


The Sentinel Stroke National Audit Programme (SSNAP) is the National Clinical Audit for Stroke and the main source of stroke data in the NHS. Data is collected on every stroke patient admitted to hospital in England, Wales and Northern Ireland.

This regional pack contains an overview of the hospitals' overall SSNAP score performance in a series of graphs charting the change in score over time for each hospital. The overall SSNAP score is a composite score combining the achievement on 44 care process measures derived from National Clinical Guidelines for Stroke and adjusted for case ascertainment and audit compliance. The 44 key indicators are grouped into 10 domains of care. The change over time in this overall score has been summarised in two ways:

- Performance over the whole two and a half year period has been characterised as Improving, Not Improving or Worsening depending on the slope of a trend line plotted through all the hospital's scores at every time point.
- Recent performance has been characterised as Good, Adequate or Poor depending on where the trend line meets the latest time period.

This regional pack also contains the individual executive summaries of the stroke care provided by the hospitals in this region between April 2014 and November 2016. These executive summaries highlight areas of good, adequate and poor performance in order to identify key areas to draw up action plans for improvement. Further information on resource use for stroke is given including activity, length of stay, cost of stroke and admissions to care homes after stroke. The SSNAP website has a range of additional tools to help drill down deeper into the data and identify ways to improve.

Nationally, it is encouraging to see that most teams are “Improving”, though there are a number of teams who are consistently not achieving “Adequate” scores, and it is concerning that performance within a few services appears to be deteriorating.





Distribution of categories for all hospitals which routinely admit stroke patients in England, Wales and Northern Ireland

Thames Valley SCN: SSNAP Clinical Executive Summaries


Overall SSNAP score performance from April 2014 to November 2016

Routinely admitting teams:




Good and Improving



Good and Not Improving



Poor and Improving






John Radcliffe Hospital - SSNAP Executive Summary

The Sentinel Stroke National Audit Programme (SSNAP) is the National Clinical Audit for Stroke and the main source of stroke data in the NHS. Data is collected on every stroke patient admitted to hospital in England, Wales and Northern Ireland. This is a summary of the stroke care provided by this hospital over the last two and a half years highlighting areas of good, adequate and poor performance. It should be shared with everyone involved in developing and providing stroke care in this hospital, including the non-executive team and managers, in order to draw up action plans for improvement. The SSNAP website has a range of additional tools to help drill down deeper into the data and identify ways to improve.

Overall SSNAP score performance from April 2014 to November 2016



Performance recently has generally been:

Good

This hospital's performance over the two and a half years has generally been:

Improving

Performance in key indicators of care quality over the past year

Mainly LOW scoring domains (D or E average):	Mainly ADEQUATE domains (C average):	Mainly GOOD domains (A or B average):
<p>Discharge Processes</p>	<p>Stroke Unit Specialist Assessments Speech and Language Therapy</p>	<p>Scanning Thrombolysis Occupational Therapy Physiotherapy Multidisciplinary Team Working Standards by Discharge</p>
<p><i>**areas to focus quality improvement on, as require substantial improvement</i></p>	<p><i>**areas where further improvements are still needed.</i></p>	<p><i>**areas to celebrate success, maintain performance and identify whether further improvements are feasible.</i></p>

For further information about performance in different domains of care and scoring methodology, visit our results portal:

<https://www.strokeaudit.org/results/Clinical-audit/National-Results.aspx>

John Radcliffe Hospital - SSNAP Executive Summary

Activity and length of stay

In August-November 2016 this hospital treated 196 patients, of which:

195 patients were first admitted to this hospital 1 patient was transferred in from another hospital

Length of stay:	For all routinely admitting teams nationally N=27,507	For all patients treated at this team N=196	For patients discharged/transferred alive from this team N=168
0-3 days	40.3% (11,087 patients)	50.0% (98)	50.6% (85)
4-7 days	20.3% (5,580 patients)	23.0% (45)	23.8% (40)
8-21 days	21.4% (5,886 patients)	24.0% (47)	23.8% (40)
22-30 days	5.3% (1,446 patients)	2.6% (5)	1.2% (2)
31+ days	12.8% (3,508 patients)	0.5% (1)	0.6% (1)
Mean	14.0 days	6.3 days	5.9 days

Cost of stroke

These costs have been derived from the SSNAP health economic model. This estimates the average cost of stroke according to patients' age, sex, stroke type and stroke severity. NHS costs include acute treatment costs, bed stays, inpatient and post-discharge rehabilitation, drug prescribing and follow up GP and hospital visits. Social care costs include the costs of nursing home admission and packages of care. They are not the costs for a specific hospital, but the average cost across all providers. The model explored the cost effectiveness of two evidence-based interventions for acute stroke patients; thrombolysis and discharge with Early Supported Discharge. Both of these interventions are appropriate for a subset of acute stroke patients.

Thrombolysis	Your current thrombolysis rate	13%
Cost Savings	Thrombolysis rate at top 20 performing units	20%
over 5 years:	Average NHS cost saving by thrombolysing 1 more eligible patient	£4,100
	Average social care cost saving by thrombolysing 1 more eligible patient	£6,900
	Overall average cost saving by thrombolysing 1 more eligible patient	£11,000
	Average quality-adjusted life-years gained by thrombolysing 1 more eligible patient	0.26 QALYs
Early Supported Discharge (ESD)	Your current rate of discharge with ESD	33%
Cost Savings	Rate of discharge with ESD at top 20 performing units	60%
over 5 years:	Average NHS cost saving by discharging 1 more eligible patient with ESD	£1,600
	Average social care cost saving by discharging 1 more eligible patient with ESD	£8,700
	Overall average cost saving by discharging 1 more eligible patient with ESD	£10,300
	Average quality-adjusted life-years gained by discharging 1 more eligible patient with ESD	0.14 QALYs

Admissions to care homes after stroke




Nationally, 7.0% of patients discharged alive from inpatient care between August-November 2016 were newly institutionalised into a care home for the first time upon leaving hospital. This compares to 3.7% (6/161) for patients treated by this hospital and discharged from inpatient care either by this hospital or another hospital.

For further information, visit our results portal:

www.strokeaudit.org/results

Information is available for different types of users:

- Data on stroke **care quality** for all **services** in England, Wales and Northern Ireland
- **Regional** slideshows and **Easy Access** Versions
- Reporting outputs for Clinical Commissioning Groups (**CCGs**) in England and Local Health Boards (**LHBs**) in Wales
- Information about **patient outcomes** (30 day all cause **mortality** and AF outcomes)
- Data about **patient characteristics** (e.g. AF, age profiles)
- Nationally benchmarked data on how effectively stroke services are **organised** (e.g. **staffing levels**, acute care **protocols** and provision of specialist services)
- **Interactive root-cause analysis tools** for to help to speed up **thrombolysis** and **intra-arterial intervention times** (*requires log-in*)
- Detailed data on the **costs of stroke**, and the **costs and benefits** of improving thrombolysis and Early Supported Discharge
- Interactive **maps, infographics** and **dashboards**.






Wycombe General Hospital - SSNAP Executive Summary

The Sentinel Stroke National Audit Programme (SSNAP) is the National Clinical Audit for Stroke and the main source of stroke data in the NHS. Data is collected on every stroke patient admitted to hospital in England, Wales and Northern Ireland. This is a summary of the stroke care provided by this hospital over the last two and a half years highlighting areas of good, adequate and poor performance. It should be shared with everyone involved in developing and providing stroke care in this hospital, including the non-executive team and managers, in order to draw up action plans for improvement. The SSNAP website has a range of additional tools to help drill down deeper into the data and identify ways to improve.

Overall SSNAP score performance from April 2014 to November 2016



Performance recently has generally been:

Good

This hospital's performance over the two and a half years has generally been:

Improving

Performance in key indicators of care quality over the past year

Mainly LOW scoring domains (D or E average):

(None)

Mainly ADEQUATE domains (C average):

Speech and Language Therapy

Mainly GOOD domains (A or B average):

Scanning
Stroke Unit
Thrombolysis
Specialist Assessments
Occupational Therapy
Physiotherapy
Multidisciplinary Team Working
Standards by Discharge
Discharge Processes

***areas to focus quality improvement on, as require substantial improvement*

***areas where further improvements are still needed.*

***areas to celebrate success, maintain performance and identify whether further improvements are feasible.*

For further information about performance in different domains of care and scoring methodology, visit our results portal:

<https://www.strokeaudit.org/results/Clinical-audit/National-Results.aspx>

Wycombe General Hospital - SSNAP Executive Summary

Activity and length of stay

In August-November 2016 this hospital treated 181 patients, of which:

173 patients were first admitted to this hospital 8 patients were transferred in from another hospital

Length of stay:	For all routinely admitting teams nationally N=27,507	For all patients treated at this team N=181	For patients discharged/transferred alive from this team N=153
0-3 days	40.3% (11,087 patients)	35.4% (64)	38.6% (59)
4-7 days	20.3% (5,580 patients)	19.9% (36)	20.3% (31)
8-21 days	21.4% (5,886 patients)	17.1% (31)	14.4% (22)
22-30 days	5.3% (1,446 patients)	6.1% (11)	5.2% (8)
31+ days	12.8% (3,508 patients)	21.5% (39)	21.6% (33)
Mean	14.0 days	19.4 days	18.7 days

Cost of stroke

These costs have been derived from the SSNAP health economic model. This estimates the average cost of stroke according to patients' age, sex, stroke type and stroke severity. NHS costs include acute treatment costs, bed stays, inpatient and post-discharge rehabilitation, drug prescribing and follow up GP and hospital visits. Social care costs include the costs of nursing home admission and packages of care. They are not the costs for a specific hospital, but the average cost across all providers. The model explored the cost effectiveness of two evidence-based interventions for acute stroke patients; thrombolysis and discharge with Early Supported Discharge. Both of these interventions are appropriate for a subset of acute stroke patients.

Thrombolysis	Your current thrombolysis rate	16%
Cost Savings	Thrombolysis rate at top 20 performing units	20%
over 5 years:	Average NHS cost saving by thrombolysing 1 more eligible patient	£4,100
	Average social care cost saving by thrombolysing 1 more eligible patient	£6,900
	Overall average cost saving by thrombolysing 1 more eligible patient	£11,000
	Average quality-adjusted life-years gained by thrombolysing 1 more eligible patient	0.26 QALYs
Early Supported Discharge (ESD)	Your current rate of discharge with ESD	38%
Cost Savings	Rate of discharge with ESD at top 20 performing units	60%
over 5 years:	Average NHS cost saving by discharging 1 more eligible patient with ESD	£1,600
	Average social care cost saving by discharging 1 more eligible patient with ESD	£8,700
	Overall average cost saving by discharging 1 more eligible patient with ESD	£10,300
	Average quality-adjusted life-years gained by discharging 1 more eligible patient with ESD	0.14 QALYs

Admissions to care homes after stroke




Nationally, 7.0% of patients discharged alive from inpatient care between August-November 2016 were newly institutionalised into a care home for the first time upon leaving hospital. This compares to 8.8% (13/148) for patients treated by this hospital and discharged from inpatient care either by this hospital or another hospital.

For further information, visit our results portal:

www.strokeaudit.org/results

Information is available for different types of users:

- Data on stroke **care quality** for all **services** in England, Wales and Northern Ireland
- **Regional** slideshows and **Easy Access** Versions
- Reporting outputs for Clinical Commissioning Groups (**CCGs**) in England and Local Health Boards (**LHBs**) in Wales
- Information about **patient outcomes** (30 day all cause **mortality** and AF outcomes)
- Data about **patient characteristics** (e.g. AF, age profiles)
- Nationally benchmarked data on how effectively stroke services are **organised** (e.g. **staffing levels**, acute care **protocols** and provision of specialist services)
- **Interactive root-cause analysis tools** for to help to speed up **thrombolysis** and **intra-arterial intervention times** (*requires log-in*)
- Detailed data on the **costs of stroke**, and the **costs and benefits** of improving thrombolysis and Early Supported Discharge
- Interactive **maps, infographics** and **dashboards**.






Royal Berkshire Hospital - SSNAP Executive Summary

The Sentinel Stroke National Audit Programme (SSNAP) is the National Clinical Audit for Stroke and the main source of stroke data in the NHS. Data is collected on every stroke patient admitted to hospital in England, Wales and Northern Ireland. This is a summary of the stroke care provided by this hospital over the last two and a half years highlighting areas of good, adequate and poor performance. It should be shared with everyone involved in developing and providing stroke care in this hospital, including the non-executive team and managers, in order to draw up action plans for improvement. The SSNAP website has a range of additional tools to help drill down deeper into the data and identify ways to improve.

Overall SSNAP score performance from April 2014 to November 2016



Performance recently has generally been:

Good

This hospital's performance over the two and a half years has generally been:

Not Improving

Performance in key indicators of care quality over the past year

Mainly LOW scoring domains (D or E average):	Mainly ADEQUATE domains (C average):	Mainly GOOD domains (A or B average):
Stroke Unit	Speech and Language Therapy	Scanning Thrombolysis Specialist Assessments Occupational Therapy Physiotherapy Multidisciplinary Team Working Standards by Discharge Discharge Processes
<i>**areas to focus quality improvement on, as require substantial improvement</i>	<i>**areas where further improvements are still needed.</i>	<i>**areas to celebrate success, maintain performance and identify whether further improvements are feasible.</i>

For further information about performance in different domains of care and scoring methodology, visit our results portal:

<https://www.strokeaudit.org/results/Clinical-audit/National-Results.aspx>

Royal Berkshire Hospital - SSNAP Executive Summary

Activity and length of stay

In August-November 2016 this hospital treated 218 patients, of which:

214 patients were first admitted to this hospital 4 patients were transferred in from another hospital

Length of stay:	For all routinely admitting teams nationally N=27,507	For all patients treated at this team N=218	For patients discharged/transferred alive from this team N=193
0-3 days	40.3% (11,087 patients)	29.8% (65)	29.5% (57)
4-7 days	20.3% (5,580 patients)	21.1% (46)	20.2% (39)
8-21 days	21.4% (5,886 patients)	29.4% (64)	30.1% (58)
22-30 days	5.3% (1,446 patients)	5.0% (11)	4.7% (9)
31+ days	12.8% (3,508 patients)	14.7% (32)	15.5% (30)
Mean	14.0 days	17.7 days	18.4 days

Cost of stroke

These costs have been derived from the SSNAP health economic model. This estimates the average cost of stroke according to patients' age, sex, stroke type and stroke severity. NHS costs include acute treatment costs, bed stays, inpatient and post-discharge rehabilitation, drug prescribing and follow up GP and hospital visits. Social care costs include the costs of nursing home admission and packages of care. They are not the costs for a specific hospital, but the average cost across all providers. The model explored the cost effectiveness of two evidence-based interventions for acute stroke patients; thrombolysis and discharge with Early Supported Discharge. Both of these interventions are appropriate for a subset of acute stroke patients.

Thrombolysis	Your current thrombolysis rate	28%
Cost Savings	Thrombolysis rate at top 20 performing units	20%
over 5 years:	Average NHS cost saving by thrombolysing 1 more eligible patient	£4,100
	Average social care cost saving by thrombolysing 1 more eligible patient	£6,900
	Overall average cost saving by thrombolysing 1 more eligible patient	£11,000
	Average quality-adjusted life-years gained by thrombolysing 1 more eligible patient	0.26 QALYs
Early Supported Discharge (ESD)	Your current rate of discharge with ESD	31%
Cost Savings	Rate of discharge with ESD at top 20 performing units	60%
over 5 years:	Average NHS cost saving by discharging 1 more eligible patient with ESD	£1,600
	Average social care cost saving by discharging 1 more eligible patient with ESD	£8,700
	Overall average cost saving by discharging 1 more eligible patient with ESD	£10,300
	Average quality-adjusted life-years gained by discharging 1 more eligible patient with ESD	0.14 QALYs

Admissions to care homes after stroke




Nationally, 7.0% of patients discharged alive from inpatient care between August-November 2016 were newly institutionalised into a care home for the first time upon leaving hospital. This compares to 5.7% (11/193) for patients treated by this hospital and discharged from inpatient care either by this hospital or another hospital.

For further information, visit our results portal:

www.strokeaudit.org/results

Information is available for different types of users:

- Data on stroke **care quality** for all **services** in England, Wales and Northern Ireland
- **Regional** slideshows and **Easy Access** Versions
- Reporting outputs for Clinical Commissioning Groups (**CCGs**) in England and Local Health Boards (**LHBs**) in Wales
- Information about **patient outcomes** (30 day all cause **mortality** and AF outcomes)
- Data about **patient characteristics** (e.g. AF, age profiles)
- Nationally benchmarked data on how effectively stroke services are **organised** (e.g. **staffing levels**, acute care **protocols** and provision of specialist services)
- **Interactive root-cause analysis tools** for to help to speed up **thrombolysis** and **intra-arterial intervention times** (*requires log-in*)
- Detailed data on the **costs of stroke**, and the **costs and benefits** of improving thrombolysis and Early Supported Discharge
- Interactive **maps, infographics** and **dashboards**.






Milton Keynes General Hospital - SSNAP Executive Summary

The Sentinel Stroke National Audit Programme (SSNAP) is the National Clinical Audit for Stroke and the main source of stroke data in the NHS. Data is collected on every stroke patient admitted to hospital in England, Wales and Northern Ireland. This is a summary of the stroke care provided by this hospital over the last two and a half years highlighting areas of good, adequate and poor performance. It should be shared with everyone involved in developing and providing stroke care in this hospital, including the non-executive team and managers, in order to draw up action plans for improvement. The SSNAP website has a range of additional tools to help drill down deeper into the data and identify ways to improve.

Overall SSNAP score performance from April 2014 to November 2016



Performance recently has generally been:

Poor

This hospital's performance over the two and a half years has generally been:

Improving

Performance in key indicators of care quality over the past year

Mainly LOW scoring domains (D or E average):	Mainly ADEQUATE domains (C average):	Mainly GOOD domains (A or B average):
<p>Stroke Unit</p> <p>Thrombolysis</p> <p>Speech and Language Therapy</p>	<p>Specialist Assessments</p> <p>Occupational Therapy</p> <p>Multidisciplinary Team Working</p>	<p>Scanning</p> <p>Physiotherapy</p> <p>Standards by Discharge</p> <p>Discharge Processes</p>
<p><i>**areas to focus quality improvement on, as require substantial improvement</i></p>	<p><i>**areas where further improvements are still needed.</i></p>	<p><i>**areas to celebrate success, maintain performance and identify whether further improvements are feasible.</i></p>

For further information about performance in different domains of care and scoring methodology, visit our results portal:

<https://www.strokeaudit.org/results/Clinical-audit/National-Results.aspx>

Milton Keynes General Hospital - SSNAP Executive Summary

Activity and length of stay

In August-November 2016 this hospital treated 71 patients, of which:

56 patients were first admitted to this hospital

15 patients were transferred in from another hospital

Length of stay:	For all routinely admitting teams nationally N=27,507	For all patients treated at this team N=71	For patients discharged/transferred alive from this team N=60
0-3 days	40.3% (11,087 patients)	23.9% (17)	26.7% (16)
4-7 days	20.3% (5,580 patients)	21.1% (15)	21.7% (13)
8-21 days	21.4% (5,886 patients)	25.4% (18)	21.7% (13)
22-30 days	5.3% (1,446 patients)	5.6% (4)	5.0% (3)
31+ days	12.8% (3,508 patients)	23.9% (17)	25.0% (15)
Mean	14.0 days	19.3 days	19.7 days

Cost of stroke

These costs have been derived from the SSNAP health economic model. This estimates the average cost of stroke according to patients' age, sex, stroke type and stroke severity. NHS costs include acute treatment costs, bed stays, inpatient and post-discharge rehabilitation, drug prescribing and follow up GP and hospital visits. Social care costs include the costs of nursing home admission and packages of care. They are not the costs for a specific hospital, but the average cost across all providers. The model explored the cost effectiveness of two evidence-based interventions for acute stroke patients; thrombolysis and discharge with Early Supported Discharge. Both of these interventions are appropriate for a subset of acute stroke patients.

Thrombolysis	Your current thrombolysis rate	0%
Cost Savings	Thrombolysis rate at top 20 performing units	20%
over 5 years:	Average NHS cost saving by thrombolysing 1 more eligible patient	£4,100
	Average social care cost saving by thrombolysing 1 more eligible patient	£6,900
	Overall average cost saving by thrombolysing 1 more eligible patient	£11,000
	Average quality-adjusted life-years gained by thrombolysing 1 more eligible patient	0.26 QALYs
Early Supported Discharge (ESD)	Your current rate of discharge with ESD	75%
Discharge (ESD)	Rate of discharge with ESD at top 20 performing units	60%
Cost Savings	Average NHS cost saving by discharging 1 more eligible patient with ESD	£1,600
over 5 years:	Average social care cost saving by discharging 1 more eligible patient with ESD	£8,700
	Overall average cost saving by discharging 1 more eligible patient with ESD	£10,300
	Average quality-adjusted life-years gained by discharging 1 more eligible patient with ESD	0.14 QALYs

Admissions to care homes after stroke




Nationally, 7.0% of patients discharged alive from inpatient care between August-November 2016 were newly institutionalised into a care home for the first time upon leaving hospital. This compares to 5.0% (3/60) for patients treated by this hospital and discharged from inpatient care either by this hospital or another hospital.

For further information, visit our results portal:

www.strokeaudit.org/results

Information is available for different types of users:

- Data on stroke **care quality** for all **services** in England, Wales and Northern Ireland
- **Regional** slideshows and **Easy Access** Versions
- Reporting outputs for Clinical Commissioning Groups (**CCGs**) in England and Local Health Boards (**LHBs**) in Wales
- Information about **patient outcomes** (30 day all cause **mortality** and AF outcomes)
- Data about **patient characteristics** (e.g. AF, age profiles)
- Nationally benchmarked data on how effectively stroke services are **organised** (e.g. **staffing levels**, acute care **protocols** and provision of specialist services)
- **Interactive root-cause analysis tools** for to help to speed up **thrombolysis** and **intra-arterial intervention times** (*requires log-in*)
- Detailed data on the **costs of stroke**, and the **costs and benefits** of improving thrombolysis and Early Supported Discharge
- Interactive **maps, infographics** and **dashboards**.






Horton General Hospital - SSNAP Executive Summary

The Sentinel Stroke National Audit Programme (SSNAP) is the National Clinical Audit for Stroke and the main source of stroke data in the NHS. Data is collected on every stroke patient admitted to hospital in England, Wales and Northern Ireland. This is a summary of the stroke care provided by this hospital over the last two and a half years highlighting areas of good, adequate and poor performance. It should be shared with everyone involved in developing and providing stroke care in this hospital, including the non-executive team and managers, in order to draw up action plans for improvement. The SSNAP website has a range of additional tools to help drill down deeper into the data and identify ways to improve.

Overall SSNAP score performance from April 2014 to November 2016



Performance recently has generally been:

Poor

This hospital's performance over the two and a half years has generally been:

Improving

This hospital did not receive a SSNAP score for August-November 2016 due to too few patients treated

Performance in key indicators of care quality over the past year

Mainly LOW scoring domains (D or E average):	Mainly ADEQUATE domains (C average):	Mainly GOOD domains (A or B average):
<p>Scanning</p> <p>Thrombolysis</p> <p>Speech and Language Therapy</p>	<p>Stroke Unit</p> <p>Specialist Assessments</p> <p>Occupational Therapy</p> <p>Physiotherapy</p> <p>Multidisciplinary Team Working</p> <p>Discharge Processes</p>	<p>Standards by Discharge</p>
<p><i>**areas to focus quality improvement on, as require substantial improvement</i></p>	<p><i>**areas where further improvements are still needed.</i></p>	<p><i>**areas to celebrate success, maintain performance and identify whether further improvements are feasible.</i></p>

For further information about performance in different domains of care and scoring methodology, visit our results portal:

<https://www.strokeaudit.org/results/Clinical-audit/National-Results.aspx>

Horton General Hospital - SSNAP Executive Summary

Activity and length of stay

In August-November 2016 this hospital treated 22 patients, of which:

19 patients were first admitted to this hospital 3 patients were transferred in from another hospital

Note: Due to low numbers, some of the comparative measures below are not available for this hospital

Length of stay:	For all routinely admitting teams nationally N=27,507	For all patients treated at this team N=22	For patients discharged/transferred alive from this team N=20
0-3 days	40.3% (11,087 patients)	0.0% (0)	0.0% (0)
4-7 days	20.3% (5,580 patients)	0.0% (0)	0.0% (0)
8-21 days	21.4% (5,886 patients)	31.8% (7)	35.0% (7)
22-30 days	5.3% (1,446 patients)	13.6% (3)	15.0% (3)
31+ days	12.8% (3,508 patients)	54.5% (12)	50.0% (10)
Mean	14.0 days	35.2 days	34.2 days

Cost of stroke

These costs have been derived from the SSNAP health economic model. This estimates the average cost of stroke according to patients' age, sex, stroke type and stroke severity. NHS costs include acute treatment costs, bed stays, inpatient and post-discharge rehabilitation, drug prescribing and follow up GP and hospital visits. Social care costs include the costs of nursing home admission and packages of care. They are not the costs for a specific hospital, but the average cost across all providers. The model explored the cost effectiveness of two evidence-based interventions for acute stroke patients; thrombolysis and discharge with Early Supported Discharge. Both of these interventions are appropriate for a subset of acute stroke patients.

Thrombolysis	<i>Your current thrombolysis rate</i>	-
Cost Savings	<i>Thrombolysis rate at top 20 performing units</i>	20%
over 5 years:	<i>Average NHS cost saving by thrombolysing 1 more eligible patient</i>	£4,100
	<i>Average social care cost saving by thrombolysing 1 more eligible patient</i>	£6,900
	<i>Overall average cost saving by thrombolysing 1 more eligible patient</i>	£11,000
	<i>Average quality-adjusted life-years gained by thrombolysing 1 more eligible patient</i>	0.26 QALYs
Early Supported Discharge (ESD)	<i>Your current rate of discharge with ESD</i>	0%
Cost Savings	<i>Rate of discharge with ESD at top 20 performing units</i>	60%
over 5 years:	<i>Average NHS cost saving by discharging 1 more eligible patient with ESD</i>	£1,600
	<i>Average social care cost saving by discharging 1 more eligible patient with ESD</i>	£8,700
	<i>Overall average cost saving by discharging 1 more eligible patient with ESD</i>	£10,300
	<i>Average quality-adjusted life-years gained by discharging 1 more eligible patient with ESD</i>	0.14 QALYs

Admissions to care homes after stroke




Nationally, 7.0% of patients discharged alive from inpatient care between August-November 2016 were newly institutionalised into a care home for the first time upon leaving hospital. This compares to 5.0% (1/20) for patients treated by this hospital and discharged from inpatient care either by this hospital or another hospital.

For further information, visit our results portal:

www.strokeaudit.org/results

Information is available for different types of users:

- Data on stroke **care quality** for all **services** in England, Wales and Northern Ireland
- **Regional** slideshows and **Easy Access** Versions
- Reporting outputs for Clinical Commissioning Groups (**CCGs**) in England and Local Health Boards (**LHBs**) in Wales
- Information about **patient outcomes** (30 day all cause **mortality** and AF outcomes)
- Data about **patient characteristics** (e.g. AF, age profiles)
- Nationally benchmarked data on how effectively stroke services are **organised** (e.g. **staffing levels**, acute care **protocols** and provision of specialist services)
- **Interactive root-cause analysis tools** for to help to speed up **thrombolysis** and **intra-arterial intervention times** (*requires log-in*)
- Detailed data on the **costs of stroke**, and the **costs and benefits** of improving thrombolysis and Early Supported Discharge
- Interactive **maps, infographics** and **dashboards**.






Wexham Park Hospital - SSNAP Executive Summary

The Sentinel Stroke National Audit Programme (SSNAP) is the National Clinical Audit for Stroke and the main source of stroke data in the NHS. Data is collected on every stroke patient admitted to hospital in England, Wales and Northern Ireland. This is a summary of the stroke care provided by this hospital over the last two and a half years highlighting areas of good, adequate and poor performance. It should be shared with everyone involved in developing and providing stroke care in this hospital, including the non-executive team and managers, in order to draw up action plans for improvement. The SSNAP website has a range of additional tools to help drill down deeper into the data and identify ways to improve.

Overall SSNAP score performance from April 2014 to November 2016



Performance recently has generally been:

Poor

This hospital's performance over the two and a half years has generally been:

Improving

Performance in key indicators of care quality over the past year

Mainly LOW scoring domains (D or E average):

Scanning
Stroke Unit
Thrombolysis
Specialist Assessments

Mainly ADEQUATE domains (C average):

Multidisciplinary Team Working

Mainly GOOD domains (A or B average):

Occupational Therapy
Physiotherapy
Speech and Language Therapy
Standards by Discharge
Discharge Processes

***areas to focus quality improvement on, as require substantial improvement*

***areas where further improvements are still needed.*

***areas to celebrate success, maintain performance and identify whether further improvements are feasible.*

For further information about performance in different domains of care and scoring methodology, visit our results portal:

<https://www.strokeaudit.org/results/Clinical-audit/National-Results.aspx>

Wexham Park Hospital - SSNAP Executive Summary

Activity and length of stay

In August-November 2016 this hospital treated 123 patients, of which:

109 patients were first admitted to this hospital 14 patients were transferred in from another hospital

Length of stay:	For all routinely admitting teams nationally N=27,507	For all patients treated at this team N=123	For patients discharged/transferred alive from this team N=101
0-3 days	40.3% (11,087 patients)	26.8% (33)	28.7% (29)
4-7 days	20.3% (5,580 patients)	24.4% (30)	23.8% (24)
8-21 days	21.4% (5,886 patients)	23.6% (29)	20.8% (21)
22-30 days	5.3% (1,446 patients)	11.4% (14)	13.9% (14)
31+ days	12.8% (3,508 patients)	13.8% (17)	12.9% (13)
Mean	14.0 days	17.0 days	16.5 days

Cost of stroke

These costs have been derived from the SSNAP health economic model. This estimates the average cost of stroke according to patients' age, sex, stroke type and stroke severity. NHS costs include acute treatment costs, bed stays, inpatient and post-discharge rehabilitation, drug prescribing and follow up GP and hospital visits. Social care costs include the costs of nursing home admission and packages of care. They are not the costs for a specific hospital, but the average cost across all providers. The model explored the cost effectiveness of two evidence-based interventions for acute stroke patients; thrombolysis and discharge with Early Supported Discharge. Both of these interventions are appropriate for a subset of acute stroke patients.

Thrombolysis	<i>Your current thrombolysis rate</i>	0%
Cost Savings over 5 years:	<i>Thrombolysis rate at top 20 performing units</i>	20%
	<i>Average NHS cost saving by thrombolysing 1 more eligible patient</i>	£4,100
	<i>Average social care cost saving by thrombolysing 1 more eligible patient</i>	£6,900
	<i>Overall average cost saving by thrombolysing 1 more eligible patient</i>	£11,000
	<i>Average quality-adjusted life-years gained by thrombolysing 1 more eligible patient</i>	0.26 QALYs
Early Supported Discharge (ESD)	<i>Your current rate of discharge with ESD</i>	45%
Cost Savings over 5 years:	<i>Rate of discharge with ESD at top 20 performing units</i>	60%
	<i>Average NHS cost saving by discharging 1 more eligible patient with ESD</i>	£1,600
	<i>Average social care cost saving by discharging 1 more eligible patient with ESD</i>	£8,700
	<i>Overall average cost saving by discharging 1 more eligible patient with ESD</i>	£10,300
	<i>Average quality-adjusted life-years gained by discharging 1 more eligible patient with ESD</i>	0.14 QALYs

Admissions to care homes after stroke

Nationally, 7.0% of patients discharged alive from inpatient care between August-November 2016 were newly institutionalised into a care home for the first time upon leaving hospital. This compares to 4.9% (5/103) for patients treated by this hospital and discharged from inpatient care either by this hospital or another hospital.

For further information, visit our results portal:

www.strokeaudit.org/results

Information is available for different types of users:

- Data on stroke **care quality** for all **services** in England, Wales and Northern Ireland
- **Regional** slideshows and **Easy Access** Versions
- Reporting outputs for Clinical Commissioning Groups (**CCGs**) in England and Local Health Boards (**LHBs**) in Wales
- Information about **patient outcomes** (30 day all cause **mortality** and AF outcomes)
- Data about **patient characteristics** (e.g. AF, age profiles)
- Nationally benchmarked data on how effectively stroke services are **organised** (e.g. **staffing levels**, acute care **protocols** and provision of specialist services)
- **Interactive root-cause analysis tools** for to help to speed up **thrombolysis** and **intra-arterial intervention times** (*requires log-in*)
- Detailed data on the **costs of stroke**, and the **costs and benefits** of improving thrombolysis and Early Supported Discharge
- Interactive **maps, infographics** and **dashboards**.

